

ZEBRA SHADES

Dealer Product *Manual.*


Specifications · components · operation · installation

2026 EDITION · v1.0

Confidential — for authorized Superior dealers only



Zebra Shades



Where Harmony Meets Precision

Our zebra shades transform your windows with a graceful dance of light and privacy. Featuring alternating bands of sheer and opaque fabric, they allow you to fine-tune the ambiance from soft glow to serene seclusion. Their elegant, layered construction offers a beautifully diffused view and dignified privacy, all in a single, streamlined shade.

Engineered for seamless living, these shades are equipped with a silent motor system. You can effortlessly adjust the bands to create the perfect balance of light and shade in an instant. Whether controlled via remote, smartphone app, or voice command, your environment adapts effortlessly to your moment, all without lifting a finger.


Crafted from premium, textured fabrics that resist fading, our zebra shades are designed for enduring beauty. Available in a curated palette of modern neutrals, their crisp, dual-layer design complements a wide range of interiors—from clean, contemporary spaces to warm, classic settings.

More than a window covering, they are a statement of curated living—intelligent, aesthetically refined, and effortlessly in tune with your daily rhythm.

System	Operation	Tube Size	Fabric type	Min. W	Max. W	Max. H
CB-235 Squared Cassette	Cordless	38mm	/	23 5/8"	98 3/8"	78 3/4"
	Manual	38mm	/	18 4/5"	98 3/8"	98"
	Automatic	38mm	/	20"	98 3/8"	98"
CB-268 Squared Cassette	Cordless	38mm	/	19 3/4"	96"	80"
	Mark: Fabric Luxe Front (DR-D042) & Safari Ivory (DR-D050) series Max. H=72"; Light Snow (DR-D032) series Max. H=60"					
	Manual	38mm	/	11 3/4"	96"	80"
	Mark: Fabric Luxe Front (DR-D042) & Safari Ivory (DR-D050) series Max. H=72"; Light Snow (DR-D032) series Max. H=60"					
	Automatic	38mm	/	20 1/2"	96"	80"
Mark: Fabric Luxe Front (DR-D042) & Safari Ivory (DR-D050) series Max. H=72"; Light Snow (DR-D032) series Max. H=60"						
CB-269 Round Cassette	Cordless	38mm	/	19 3/4"	96"	89"
	Mark: Fabric Luxe Front (DR-D042) & Safari Ivory (DR-D050) series Max. H=80"; Light Snow (DR-D032) series Max. H=68"					
	Manual	38mm	/	11 3/4"	96"	89"
	Mark: Fabric Luxe Front (DR-D042) & Safari Ivory (DR-D050) series Max. H=80"; Light Snow (DR-D032) series Max. H=68"					
	Automatic	38mm	/	20 1/2"	96"	89"
Mark: Fabric Luxe Front (DR-D042) & Safari Ivory (DR-D050) series Max. H=80"; Light Snow (DR-D032) series Max. H=68"						
CB-283 Large Squared Cassette	Manual	38mm	/	11 3/4"	96"	100"
		43mm	/	11 3/4"	118"	120"
	Automatic	38mm	/	20 1/2"	96"	100"
		43mm	/	20 1/2"	118"	120"

Note: Any shades with a height exceeding 100 inches, the 43mm tube and large cassette will be used.


Fabric Series	Series Name	Material	Shading Effect	Weight	Width
DR-D032	LIGHT PLAY	100% Polyester	70% Blackout	267g/m ²	118"
DR-D033	CHIC ZEBRA	100% Polyester	55% Blackout	140g/m ²	118"
DR-D038	MODERN BAND	100% Polyester	50% Blackout	109g/m ²	118"
DR-D039	SHADE VISTA	100% Polyester	60% Blackout	190g/m ²	118"
DR-D041	ZEBRA CROSSING	100% Polyester	55% Blackout	137g/m ²	118"
DR-D042	ZEBRA LUXE	100% Polyester	55% Blackout	171g/m ²	118"
DR-D045	STRIPED CHIC	100% Polyester	55% Blackout	153g/m ²	118"
DR-D048	STYLE SHIFT	100% Polyester	50% Blackout	120g/m ²	118"
DR-D049	WOVEN RHYTHM	100% Polyester	80% Blackout	180g/m ²	118"
DR-D050	SAFARI STRIPE	100% Polyester	80% Blackout	180g/m ²	118"
DR-D025	FILTERED VISTA	100% Polyester	90% Blackout	193g/m ²	118"
DR-D031	DESIGNER BANDS	100% Polyester	90% Blackout	172g/m ²	118"
DR-D036	PAINTED SHEEN	100% Polyester	90% Blackout	163g/m ²	118"
DR-D040	EQUINOX	100% Polyester	95% Blackout	270g/m ²	118"
DR-D043	URBAN STRIPE	100% Polyester	95% Blackout	184g/m ²	118"
DR-D044	SHADOW DANCE	100% Polyester	95% Blackout	172g/m ²	118"
DR-D046	STARDUST	100% Polyester	95% Blackout	300g/m ²	118"
DR-D047	BANDED BEAUTY	100% Polyester	95% Blackout	308g/m ²	118"
DR-M002	LUMINOUS STRIPE	100% Polyester	95% Blackout	255g/m ²	118"




Different Sizes of Valance

·Valance of different sizes can accommodate varying window frame dimensions, as well as windows of different sizes.

2 ON 1 (Separate System)



2 ON 1 (Middle Mechanism)



Dual Operating Modes

- Each shade works independently, allowing for customized light control and privacy throughout the day.

Diverse Function

- Each available with your choice of operating system, from sleek cordless, clutch loop to modern powerwand and motorization.
- Only available for 268/269 system.

Unified Control System

- A single clutch or motor operates both shades, significantly reducing hardware costs and simplifying assemble.


Perfect Synchronization

- Both shades respond to a single command, ensuring they start and stop in perfect unison for a flawless appearance.

Effortless Choice

- Available in clutch loop, powerwand and motorization..
- Only available for 268/269 system.





OPERATION STYLE





Clutch Loop

Effortless shade adjustment is achieved through a continuous bead chain loop. For added safety, a chain tensioner is included as standard to secure the chain and prevent loose hanging.

Available for all systems










CORDLESS

Achieve perfect lighting with an effortless gesture. This cordless shade glides smoothly to your desired position with a gentle nudge, creating a sleek, uncluttered look. The absence of loose cords provides a safer environment for homes with children and pets, offering peace of mind alongside elegant style. Available for 235/268/269/283/258A system

CORDLESS CONTROL







CB-235

Produce Standard

Control Options	Tube	Fabric	Bottom Bar
· Clutch Loop	-26mm -1"	-30mm -9/8"	-26mm -1"
· Cordless	-22mm -7/8"	-26mm -1 1/64"	-22mm -7/8"
· Motorization	-17mm -5/8"	-20mm -3/4"	-16mm -5/8"



Cassette T-928
 Spec: 88*88mm | 3 1/2" * 3 1/2"
 Material: Alu
 Color: Four colors




Tube T-004
 Spec: Ø38mm | 1 1/2" Thickness: 2.0mm
 Material: Alu
 Color: Alu



Bottom Bar T-787
 Spec: 24*32mm | 15/16" * 1 1/4"
 Spec: Ø13.9mm | 9/16"
 Material: Alu
 Color: Alu (4 color end cap available)



Side Caps P-I-235A-A01/A02
 Spec: 88*88mm | 3 1/2" * 3 1/2"
 Material: PA6+15%GF
 Color: Four colors



Spring Set I-235A
 Spec: /
 Material: /
 Color: /



Head Mechanism I-235A-03
 Spec: /
 Material: /
 Color: White



Tail Mechanism I-235A-04
 Spec: /
 Material: /
 Color: White



Bead Chain G-001
 Spec: Ø4.5mm*6mm
 Material: POM
 Color: Four colors



Safety Handle E-036A
 Spec: 51*15*21mm | 2" * 9/16" * 7/8"
 Material: PG-33
 Color: Transparent




Motor RM25LE
 Model: RM25LE
 Battery: Li-ion rechargeable
 Tube: 25mm



Remote RE315
 Model: RE315
 15 Channels
 RF 433MHz



Installation Bracket H-241
 Spec: /
 Material: nickel plating
 Color: nickel plating



CB-268

Produce Standard

Control Options	Tube	Fabric	Bottom Bar
· Clutch Loop	-26mm -1 1/32"	-30mm -9/8"	-26mm -1"
· Cordless	-22mm -7/8"	-26mm -1"	-22mm -7/8"
· Motorization	-23mm -2 9/32"	-27mm -1 7/16"	-23mm -7/8"

CB-269

Produce Standard

Control Options	Tube	Fabric	Bottom Bar
· Clutch Loop	-22mm -7/8"	-30mm -1 5/16"	-26mm -1"
· Cordless	-22mm -7/8"	-26mm -1"	-22mm -7/8"
· Motorization	-23mm -7/8"	-27mm -1"	-23mm -7/8"

CB-268



White

Beige

Grey

Black

CB-269




White

Beige

Grey

Black



Cassette T-1015/1018

Spec: 75*75mm | 2 15/16" * 2 15/16"
Material: Alu
Color: Four colors




Tube T-004

Spec: \varnothing 38mm | 1 1/2" Thickness: 2.0mm
Material: Alu
Color: Alu



Bottom Bar T-988

Spec: 29.2*14.6mm | 1 1/8" * 9/16"
Material: Alu
Color: Alu (4 color end cap available)



Side Caps I-268(269)-A03/A04

Spec: 75*75mm | 2 15/16" * 2 15/16"
Material: PA6+15%GF
Color: Four colors



Spring Set I-240C-A02

Spec: /
Material: /
Color: /



Head Mechanism I-266-A01

Spec: /
Material: /
Color: /



Tail Mechanism I-219-A02

Spec:/
Material:/
Color:/



Bracket I-258-10

Spec:/
Material:Q235
Color:powder coating



Adjustable bracket (cordless) I-269-A02

Spec:/
Material:/
Color:/



Bead Chain G-001

Spec:∅4.5mm*6mm
Material:POM
Color:Four colors



Safety Handle E-036A

Spec:51*15*21mm | 2" * 9/16" * 7/8"
Material:PG-33
Color:Transparent




Motor RM25LE

Model:RM25LE
Battery:Li-ion rechargeable
Tube:25mm




Remote RE315

Model:RE315
15 Channels
RF 433MHz



Installation Bracket H-275

Spec:/
Material:/
Color:/



CB-283

Produce Standard

Control Options	Tube	Fabric	Bottom Bar
· Clutch Loop	-28mm -9/8"	-30mm -1.5/16"	-26mm -1"
· Cordless	-24mm -1"	-26mm -1"	-22mm -7/8"
· Motorization	-16mm -5/8"	-22mm -7/8"	-18mm -3/4"

4 3/16"



White

4 3/16"




Beige



Grey



Black



Tube T-007

Spec: \varnothing 43mm | 1 11/16" Thickness: 2.0mm
Material: Alu
Color: Alu




Bottom Bar T-988

Spec: 29.2*14.6mm | 1 1/8" * 9/16"
Material: Alu
Color: Alu (4 color end cap available)



Cassette T-1027&T-1028

Spec: 106*106mm | 4 3/16" * 4 3/16"
Material: Alu
Color: Four colors



Side Caps I-283-02&I-283-03

Spec: 106*106mm | 4 3/16" * 4 3/16"
Material: PVC
Color: Four colors



Bracket I-283-01

Spec: 94*85*25mm | 3 11/16" * 3 3/8" * 1"
Material: Q235
Color: nickel plating



Head Mechanism I-266D-A01

Spec: /
Material: /
Color: /



Tail Mechanism I-283-A01

Spec: /
Material: /
Color: /



Spring Set /

Spec: /
Material: /
Color: /



Bead Chain G-001

Spec: \varnothing 4.5mm*6mm
Material: POM
Color: Four colors



Safety Handle E-036A

Spec: 51*15*21mm | 2" * 9/16" * 7/8"
Material: PG-33
Color: Transparent




Motor RM25LE

Model: RM25LE
Battery: Li-ion rechargeable
Tube: 25mm




Remote RE315

Model: RE315
15 Channels
RF 433MHz



Installation Bracket H-276

Spec: /
Material: /
Color: /



CB-258A

Produce Standard

Control Options	Tube	Fabric	Bottom Bar
· Clutch Loop	-38mm -3/2"	-40mm -1 3/8"	-36mm -1 1/8"
· Cordless	-33mm -5/4"	-35mm -1 1/8"	-31mm -5/4"
· Motorization	-44mm -7/4"	-45mm -7/4"	-88mm -7/6"

4 3/4"



White

5 1/2"




Beige



Grey



Black



Tube T-004

Spec: \varnothing 38mm | 1 1/2" Thickness: 2.0mm
Material: Alu
Color: Alu



Bottom Bar T-988

Spec: 29.2*14.6mm | 1 1/8" * 9/16"
Material: Alu
Color: Alu (4 color end cap available)



Cassette T-955

Spec: 120*140mm | 4 3/4" * 5 1/2"
Material: Alu
Color: Four colors



Side Caps I-258A-03&I-258A-04

Spec: 120*140mm | 4 3/4" * 5 1/2"
Material: ABS+20%PVC
Color: Four colors



Bracket for Tail Mechanism I-258A-A03

Spec: /
Material: /
Color: /



Tail Mechanism I-258-A02

Spec: /
Material: /
Color: /



Bracket for Head Mechanism I-258A-A02

Spec: /
Material: /
Color: /



Head Mechanism I-258-A01

Spec: /
Material: /
Color: /

Spring Set /

Spec: /
Material: /
Color: /



Bead Chain **G-001**

Spec: \varnothing 4.5mm*6mm
Material: POM
Color: Four colors



Safety Handle **E-036A**

Spec: 51*15*21mm | 2" * 9/16" * 7/8"
Material: PG-33
Color: Transparent




Motor **RM25LE**

Model: RM25LE
Battery: Li-ion rechargeable
Tube: 25mm





Remote **RE315**

Model: RE315
15 Channels
RF 433MHz




Installation Bracket **H-260**


Spec: /
Material: /
Color: /




T-787




White




Beige




Grey




Black




T-982




White



Beige



Grey



Black



ZEBRA SHADES WARRANTY

Limited Lifetime Warranty Coverage

- This product is warranted against defects in materials and workmanship under the following conditions:
- All manufacturer recommendations regarding product limitations and specifications have been followed.

The manufacturer reserves the sole right to determine whether a repair or partial replacement of parts is warranted. If necessary, the manufacturer will replace the shade with a new one of equal or greater value. This replacement constitutes your exclusive remedy under the terms of this warranty.


Exclusions & Limitations

- All motors, controls, and accessories are covered by a separate warranty valid for five (5) years from the original date of purchase.
- Failure to correctly install, charge, operate, or maintain motors, remotes, wands, or hubs as instructed will void their warranty.
- This warranty is valid only for the original retail purchaser and requires proof of purchase.
- This warranty does not cover

- (1) Costs associated with the removal or installation of original or replacement shades.
- (2) Any damage or defects resulting from.
- (3) Improper maintenance, neglect, misuse, or abuse.
- (4) Normal wear and tear.
- (5) Accidents, alterations, or commercial use.
- (6) Improper installation, removal, or reinstallation.

Your Rights Under State Law

This warranty provides you with specific legal rights, which may vary from state to state. The manufacturer shall not be liable for any incidental, consequential, direct, or indirect damages, losses, costs, expenses, or fees. Some states do not permit the exclusion or limitation of such damages, so the above limitations may not apply to you. This warranty is exclusive and supersedes all other obligations, liabilities, disclaimers, or warranties.





SUPERIOR

WINDOW COVERINGS

*Built for the dealers the
big brands forgot.*

DEALER SUPPORT

Call your Superior rep
for fabric samples, trade
pricing, and lead times.

CONTACT

hello@superiorwindowcoverings.us
superiorwindowcoverings.us
Mon–Fri · 8am–6pm CT

MOTORIZATION

Ronco RE500 smart hub.
See the separate RE500
Hub Setup Guide.